



---

**LED OFFICE LINE**



---



	EAN	W	lm	K	⊖ (°C)	V~	mA	Hz	PF	👤
<b>LED OFFICE LINE DIM 0.6 25 W / 840</b>	4058075271500	25	2000	4000	-20...+40	220-240	111	50/60	>0.9	0.7 kg
<b>LED OFFICE LINE DIM 1.2 50 W / 840</b>	4058075271524	50	4000	4000	-20...+40	220-240	223	50/60	>0.9	1.2 kg
<b>LED OFFICE LINE GRID DIM 0.6 25 W / 840</b>	4058075271548	25	2000	4000	-20...+40	220-240	111	50/60	>0.9	0.7 kg
<b>LED OFFICE LINE GRID DIM 1.2 50 W / 840</b>	4058075271562	50	4000	4000	-20...+40	220-240	223	50/60	>0.9	1.4 kg



LED Office Line Grid DIM

1x



LED Office Line DIM

1x



	L x W x H [mm]
GRID DIM 0.6 25W	595x134x46
GRID DIM 1.2 50W	1195x134x46
DIM 0.6 25W	595x134x46
DIM 1.2 50W	1195x134x46

1




ON  
OFF




⚡

2a

PE  
N  
L

a, b, c, d, e, f







C10567405  
G11068586  
11.02.2019



LEDVANCE GmbH  
Steinerne Furt 62  
86167 Augsburg, Germany  
[www.ledvance.com](http://www.ledvance.com)